



General Notes

**Note:** Door - 36' x 80" - 90 min Fire-rated Metal Door & Metal Frame

**LEGEND**

- W1 2.0 Hr. Fire-rated Wall  
2 - 5/8 Fire-rated Drywall c/w  
Fire-rated Caulking & Drywall  
Mud & 8 Mil Poly  
2" x 4" Wood Studs @ 16" O/C c/w  
full cavity fire-rated insulation  
1/2" Painted Drywall
- W2 2.0 Hr. Fire-rated Wall  
2 - 5/8 Fire-rated Drywall c/w  
Fire-rated Caulking & Drywall  
Mud & 8 Mil Poly  
2" x 4" Wood Studs @ 16" O/C c/w  
full cavity fire-rated insulation  
2 - 1/2" Painted Drywall

C	AS-BUILT	29-06-16
No.	Revision/Issue	Date

Firm Name and Address

Project Name and Address  
Rockabye Daycare  
905 8 Ave NE, Calgary,  
AB T2E 0S2

Drawing Title FLOOR PLAN	Sheet 1
Date June 29, 2016	
Scale 1:25	

**LEGAL ADDRESS**  
LOTS 19 AND 20  
BLOCK 152  
PLAN 8150AN

**MUNICIPAL ADDRESS**  
905 8 AVE NE  
CALGARY, ALBERTA

**FLOOR PLAN**